



# ELECTRALLOY



AS/EN/JISQ 9100:2009

## SPECIALTY/NICKEL BAR

### STOCKLIST

**November 1, 2018**

**Pg. 1 of 4**



Grade	Size (MM)	Weight (KG)	Condition
Nitronic®* 50	38.1	409.14	AS ROLLED
Nitronic®* 50	50.8	60.78	HOT WORKED & AIR COOLED
Nitronic®* 50	57.66	788.35	ANNEALED
Nitronic®* 50	64.01	196.41	ANNEALED
Nitronic®* 50	228.6	1310.9	ANNEALED
Nitronic®* 50 HS	17.78	1382.57	COLD DRAWN
Nitronic®* 50 HS	22.09	2102.88	COLD DRAWN
Nitronic®* 50 HS	69.85	693	105 KSI MIN YS
Nitronic®* 50 HS	88.9	303.91	120 KSI MIN YS
Nitronic®* 50 HS	95.25	313.44	120 KSI MIN YS
Nitronic®* 50 HS	101.6	454.96	120 KSI MIN YS
Nitronic®* 50 HS	177.8	2975	140 KSI MIN YS
Nitronic®* 50 HS	206.5	1181.63	105 KSI MIN YS
Nitronic®* 60	76.2	2259.8	ANNEALED
Nitronic®* 60	114.81	335.21	ANNEALED
Nitronic®* 60	222.5	603.29	ANNEALED
Nitronic®* 40	47.75	606.9	ANNEALED
Nitronic®* 40	53.85	3646.49	ANNEALED
EC400	41.66	168.28	HOT FINISHED
EC400	95.25	300.28	ANNEALED
EC400	95.25	215.91	STRESS RELIEVED
EC400	95.25	504.86	HOT FINISHED & STRESS REL.
EC400	241.3	1544.05	HOT FINISHED, ROUGH TURNED & STRESS RELIEVED
EC400	267.21	303.91	HOT FINISHED



Grade	Size (MM)	Weight (KG)	Condition
ECK500	26.67	320.69	HOT FINISHED & AGED
ECK500	29.21	851.86	HOT FINISHED & AGED
ECK500	31.5	649.55	HOT FINISHED & AGED
ECK500	33.27	423.66	HOT FINISHED, ANNEALED & AGED
ECK500	35.56	822.83	HOT FINISHED & AGED
ECK500	41.4	726.67	HOT FINISHED & AGED
ECK500	43.18	614.6	HOT FINISHED & AGED
ECK500	44.96	551.5	HOT FINISHED & AGED
ECK500	56.64	81.19	HOT FINISHED & AGED
ECK500	64	828.72	ANNEALED
ECK500	64.26	449.52	HOT FINISHED, ANNEALED & AGED
ECK500	64.26	345.18	HOT FINISHED & AGED
ECK500	69.59	737.55	HOT FINISHED & AGED
ECK500	76.2	817.38	ANNEALED
ECK500	76.45	209.56	HOT FINISHED, ANNEALED & AGED
ECK500	76.96	450.72	HOT FINISHED & ANNEALED
ECK500	82.29	1331.76	HOT FINISHED & AGED
ECK500	83.31	755.7	HOT FINISHED, ANNEALED & AGED
ECK500	88.9	235.87	HOT FINISHED, ANNEALED & AGED
ECK500	89.15	1027.86	HOT FINISHED & AGED
ECK500	101.6	254.01	HOT FINISHED, ANNEALED & AGED
ECK500	102.61	269.89	HOT FINISHED & ANNEALED
ECK500	114.3	668.61	HOT FINISHED, ANNEALED & AGED
ECK500	152.4	880.89	HOT FINISHED, ANNEALED & AGED
EC600	15.49	304.82	ANNEALED
EC600	35.56	175.08	ANNEALED
EC600	38.1	719.86	ANNEALED
EC625	88.9	434.09	ANNEALED
EC625	127	828.27	ANNEALED



Grade	Size (MM)	Weight (KG)	Condition
ECA-286	16	11.7	SOL. ANNEAL, 1650F, WQ, AGED
ECA-286	23.11	24.49	SOL. ANNEAL, 1800F, WQ, AGED
ECA-286	28.7	400.53	SOL. ANNEAL, 1800F, WQ
ECA-286	31.75	170.55	SOL. ANNEAL, 1800F, WQ
ECA-286	32.51	1457.87	SOL. ANNEAL, 1650F, WQ, AGED
ECA-286	38.1	342.92	SOL. ANNEAL, 1800F, WQ
ECA-286	44.45	79.38	SOL. ANNEAL, 1800F, WQ
ECA-286	47.75	52.16	SOL. ANNEAL, 1650F, WQ, AGED
ECA-286	50.8	536.61	SOL. ANNEAL, 1800F, WQ
ECA-286	50.8	64.4	SOL. ANNEAL, 1650F, WQ, AGED
ECA-286	56.64	156.49	SOL. ANNEAL, 1800F, WQ, AGED
ECA-286	203.2	873.63	SOL. ANNEAL, 1650F, WQ
ECA-286	304.8	1932.34	SOL. ANNEAL, 1650F, WQ, AGED
EC825	16	889.05	ANNEALED
EC825	28.7	351.09	ANNEALED
EC825	44.7	342.92	ANNEALED
EC800AT	16	568.81	ANNEALED
EC800AT	29.21	607.37	ANNEALED
EC800AT	38.1	950.75	ANNEALED
EC800AT	203.2	344.74	ANNEALED
EC125	70.3	1556	NORMALIZED AND TEMPERED
EC276	167.89	902.66	ANNEALED
EC71500	83	392.36	HOT FINISHED
EC71500	115.32	351.99	SOFT TEMPER 060
EC71500	452.8	2644.49	SOFT TEMPER M20 OR 060
ECHX	16	796.07	ANNEALED

**Contact our Inside Sales for pricing, availability and grades currently not listed.**

**Mark Lewis.....814-678-4103 or [mlewis@gocarlson.com](mailto:mlewis@gocarlson.com)**

**Ed Horner**..... 814.678.4109 or [Ehorner@gocarlson.com](mailto:Ehorner@gocarlson.com)  
**Deborah Craig**..... 814.678.4101 or [Dcraig@gocarlson.com](mailto:Dcraig@gocarlson.com)  
**Angela Kuhaneck**..... 814.678.4107 or [Akuhaneck@gocarlson.com](mailto:Akuhaneck@gocarlson.com)  
**Cricket Wencil-Tracey**... 814-678-4106 or [Mwencil-tracey@gocarlson.com](mailto:Mwencil-tracey@gocarlson.com)  
**Rebecca Rudolph**..... 814-678-4102 or [Rrudolph@gocarlson.com](mailto:Rrudolph@gocarlson.com)  
**Chad Bowler**.....814-678-4105 or [Cbowler@gocarlson.com](mailto:Cbowler@gocarlson.com)  
**Terry Ender**.....0044 (0) 7825 869151 or [Tender@goceurope.com](mailto:Tender@goceurope.com)

**Product availability based on previous sales.**

\* Nitronic is a registered trademark of A.K. Steel.

Monthly raw materials trends now available on our **website:** [www.electralloy.com](http://www.electralloy.com)



Electralloy is proud to be celebrating our 50<sup>th</sup> year of leadership in specialty steel.

As the pioneering developer of AOD melt technology, Electralloy continues to innovate and push technology forward to the benefit of our customers.